

## AISI304 Stainless Steel Ball Bearings



| Número do produto | Sistema de Medição | Diâmetro de diâmetro (mm) | Fora de Dia(mm) | Peso | Tipo de Selo | Material do Anel    | Material da Bola    | Material da Jaula   |
|-------------------|--------------------|---------------------------|-----------------|------|--------------|---------------------|---------------------|---------------------|
| S304-R1-5         | Inch               | 0.0938"                   | 0.3125"         | 0.6  | Open         | 304 Stainless Steel | 304 Stainless Steel | 304 Stainless Steel |
| S304-R1-5-2RS     | Inch               | 0.0938"                   | 0.3125"         | 1.15 | Sealed       | 304 Stainless Steel | 304 Stainless Steel | 304 Stainless Steel |
| S304-R1-5ZZ       | Inch               | 0.0938"                   | 0.3125"         | 1.15 | Shielded     | 304 Stainless Steel | 304 Stainless Steel | 304 Stainless Steel |
| S304-R133ZZ       | Inch               | 0.0938"                   | 0.1875"         | 0.15 | Shielded     | 304 Stainless Steel | 304 Stainless Steel | 304 Stainless Steel |
| S304-R133-2RS     | Inch               | 0.0938"                   | 0.1875"         | 0.1  | Sealed       | 304 Stainless Steel | 304 Stainless Steel | 304 Stainless Steel |
| S304-R133         | Inch               | 0.0938"                   | 0.1875"         | 0.1  | Open         | 304 Stainless Steel | 304 Stainless Steel | 304 Stainless Steel |
| S304-R144         | Inch               | 0.125"                    | 0.25"           | 0.27 | Open         | 304 Stainless Steel | 304 Stainless Steel | 304 Stainless Steel |
| S304-R144ZZ       | Inch               | 0.125"                    | 0.25"           | 0.4  | Shielded     | 304 Stainless Steel | 304 Stainless Steel | 304 Stainless Steel |
| S304-R144-2RS     | Inch               | 0.125"                    | 0.25"           | 0.4  | Sealed       | 304 Stainless Steel | 304 Stainless Steel | 304 Stainless Steel |
| S304-R2           | Inch               | 0.125"                    | 0.375"          | 1.04 | Open         | 304 Stainless Steel | 304 Stainless Steel | 304 Stainless Steel |

### AISI304 Stainless Steel Ball Bearings

|               |      |         |         |      |          |                           |                           |                           |
|---------------|------|---------|---------|------|----------|---------------------------|---------------------------|---------------------------|
| S304-R2-5     | Inch | 0.125"  | 0.3125" | 0.5  | Open     | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R2-5-2RS | Inch | 0.125"  | 0.3125" | 0.74 | Sealed   | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R2-6-2RS | Inch | 0.125"  | 0.375"  | 1.23 | Sealed   | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R2-6ZZ   | Inch | 0.125"  | 0.375"  | 1.23 | Shielded | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R2-5ZZ   | Inch | 0.125"  | 0.3125" | 0.74 | Shielded | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R2-6     | Inch | 0.125"  | 0.375"  | 0.96 | Open     | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R2-2RS   | Inch | 0.125"  | 0.375"  | 1.37 | Sealed   | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R2ZZ     | Inch | 0.125"  | 0.375"  | 1.37 | Shielded | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R2A      | Inch | 0.125"  | 0.5"    | 3.3  | Open     | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R2A-2RS  | Inch | 0.125"  | 0.5"    | 3.3  | Sealed   | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R2AZZ    | Inch | 0.125"  | 0.5"    | 3.3  | Shielded | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R155-2RS | Inch | 0.1563" | 0.3125" | 0.51 | Sealed   | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R155     | Inch | 0.1563" | 0.3125" | 0.51 | Open     | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R155ZZ   | Inch | 0.1563" | 0.3125" | 0.61 | Shielded | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R156     | Inch | 0.1875" | 0.3125" | 0.4  | Open     | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |

### AISI304 Stainless Steel Ball Bearings

|               |      |         |         |      |          |                           |                           |                           |
|---------------|------|---------|---------|------|----------|---------------------------|---------------------------|---------------------------|
| S304-R156-2RS | Inch | 0.1875" | 0.3125" | 0.45 | Sealed   | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R156ZZ   | Inch | 0.1875" | 0.3125" | 0.45 | Shielded | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R166     | Inch | 0.1875" | 0.375"  | 0.81 | Open     | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R166-2RS | Inch | 0.1875" | 0.375"  | 0.85 | Sealed   | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |
| S304-R166ZZ   | Inch | 0.1875" | 0.375"  | 0.85 | Shielded | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel | 304<br>Stainless<br>Steel |